

薬品名	化学式	濃度 %	温度	プラスチック			フッ素樹脂				不浸透性黒鉛		ゴム						FRP	金属												
				塩ビ PVC	耐熱ポリエチレン PE・RT	ポリプロピレン PP	ポリフッ化ビニリデン PVDF	FEP	ETFE	PTFE	PFA	フェノール含浸	テフロン含浸	NR	NBR	EPDM	CR	FPM	CSM	ビニールエステル	ステンレス 316	チタン	ジルコニウム	ハステロイ	タンタル							
酪酸		高純度	20																													
			40																	×												
			60																	×												
			80																	×												
			100																	×												
			120																	×												
パルミチン酸	C15H31COOH	高純度	20																													
			40												×		×	×	×		×											
			60			×														×												
			80																													
			100																													
			120																			×										
オレイン酸	C17H33COOH	高純度	20																	×		×	×		×							
			40																			×										
			60																													
			80																													
			100																													
			120																													×
			20																×													

ステアリン酸	C17H35COOH	高純度	40							水溶液																		
			60																									
			80																									
			100																									
			120																									
モノクロル酢酸	ClCH2COOH	高純度	20				×																					
			40																									
			60																									
			80																									
			100																									
			120																									
			50%水溶液	20																								
				40																								
				60					×																			
				80																								
				100																								
				120																								
ジクロル酢酸	CH2CHCOOH	高純度	20																									
			40																									
			60																									
			80																									
			100																									
			120																									
			50%水溶液	20																								
				40																								
				60																								
				80																								
				100																								
				120																								
			20																									

トリクロル酢酸	Cl ₃ C-COOH	高純度	40																		沸点で×	沸点で	
			60		×																		
			80																				
			100																				
			120																				
			20												×		×	×	×				
		50%水溶液	40																			30%で	30%で
			60																				
			80					×															
			100																				
			120																	×			

各記号の説明：)

- 該当する温度、濃度における薬品に対して全く作用されない
- 該当する温度、濃度における薬品に対して大体作用されない
- 条件次第で使用可能
- × — 使用不可

(空欄) — 該当データなし

注記：)

テーブル内の記号はあくまで参考値です。実際に使用される場合は事前に当社まで御連絡下さい。

Copyright (C) 2004 Kansetsu Sangyo Co., Ltd. All rights Reserved.